

# WILL

MAX.CAPACITY. 60ML-20L | OUTPUT 150-3200 BPH. | CAVITY. 1-4

**SERIES**

**LARGE VOLUME  
PET STRETCH BLOW  
MOLDING MACHINE**



## SPECIFICATION 規格表

工程規格表	模穴數	瓶子最大容量	最大牙部尺寸	最大瓶身直徑	最大瓶身高度	※ 理論產能	額定電量	機台尺寸	機台重量
Specification	Number of Cavities (cavities)	Max. Capacity (ltr)	Max. Neck Diameter (mm)	Max. Diameter (mm)	Max. Height (mm)	Theoretical Output	Total Installed Power (kw)	Size (L x W x H) (mm)	Weight (kg)
CPSB-1000L	1	10	50	210	420	600 (10L/150g)	63	2600x2100x2500	3500
CPSB-1000W	1	7	120	195	300	600 (7L/140g)	55	2600x2300x2500	3500
CPSB-1000WM	1	12	200	250	450	450 (12L/200g)	49	2600x2100x2500	3500
CPSB-1000LLE	1	20	63	300	550	250~350 (12L/200g)	44.5	3000x2500x3500	6000
CPSB-2000L	2	5	50	165	320	1300 (5L/110g)	81	3000x2500x2500	6500
CPSB-2000W	2	5	120	195	300	1300 (5L/110g)	69	3000x2500x2500	6500
CPSB-1000G	1	20	63	300	550	250	62	3000x2500x3500	6000
CPSB-1000WG	1	20	150	295	480	150~200 (20L/650g)	110	3500x2200x3000	6500
CPSB-US2000M	2	2	38	105	320	2000	46	2900x2100x2500	4000
CPSB-U2000EM	2	3	38	130	320	2400	50	2500x2100x2500	6500
CPSB-U2000EML	2	6	50	170	380	1600	50	2850x2700x2700	7000
CPSB-U4000EW	4	6	120	160	320	3200	75	6000x2100x2500	7000

- If mold thickness is less than 7mm, it is required to be made in stainless steel.
- The actual output depends on the preform quality and bottle shape.
- Specification are subject to change without notice.

- 模具壁厚不得小於 7mm，若小於 7mm 必須使用不銹鋼材質模具。
- 最終產能須依據瓶胚、瓶型而定。
- 規格有變更時，恕不另行通知。

For Large Volume,  
Oval & Flat Bottles  
and Wide-Neck Jar

支援大容量、扁平瓶  
與廣口罐應用

### CPSB 雙軸延伸拉吹機

產能：150 – 3200 BPH.

模穴數：1-4

瓶子最大容量：60ml-20L



CHUMPOWER W/L Series features a cost-effective, modular design for easy maintenance and a compact structure to save floor space. It supports a wide range of bottle shapes including round, oval, flat, off-center, square, petaloid, and wide-mouth containers. Applicable for various markets including mineral water, carbonated beverages, edible oil, alcoholic drinks, non-perishable foods, cosmetics, cleaning solutions, pharmaceutical jars, and tennis ball cans.

# W/L SERIES

## 廣口與大容量系列



銓寶廣口與大容量系列具備價格合理、模組化設計，維修便利，機台結構緊湊，有效節省空間。可生產圓瓶、扁瓶、橢圓瓶、偏心瓶、方瓶、五爪瓶、廣口瓶等多樣瓶型，適用於礦泉水、碳酸飲料、食用油、酒類、常溫食品、清潔液、化妝品、藥品罐、網球罐等多元市場需求。

機械手設計強化入胚穩定性，並採用雙機械臂同步入胚，大幅提升入胚效率。自動入胚系統可對應不同口徑瓶胚進行整列輸送，實現穩定流暢的自動化運作。搭載高可靠性油壓成型組，加熱箱採特殊排列設計，搭配滑塊驅動瓶胚移動，使加熱空間運用更有效率，並降低整體能耗，適用於廣口與大容量容器的高效生產。

The dual robotic arm system increases preform stability and loading efficiency, while the automatic infeed system supports preforms with different neck diameters, enabling smooth and consistent operation. A reliable hydraulic clamping unit combined with a special heating array layout and slider-driven preform transfer ensures optimal use of heating space and reduced energy consumption, making it an ideal solution for wide-neck and large-volume container production.







## OPTIONAL ACCESSORIES

- Robotic arm system for pre-insertion of handle in oil bottles
- Side-heater system for oval & flat bottle preform
- Positioning device for preform orientation
- Gas recycling system for lower energy consumption

## 選購配件

- 油瓶把手前植入系統
- 瓶胚側加熱系統
- 吹瓶定位裝置
- 吹瓶氣體回收系統





***Chum Power***

**Your BEST Partner**

[www.chumpower.com](http://www.chumpower.com)

**CHUMPOWER MACHINERY CORP.**

TEL: 886-4-2338-8289 FAX: 886-4-2338-0219

No. 688-1, Sec. 3, Zhongshan Rd., Wuri Dist, Taichung City 414, Taiwan

[contact@chumpower.com](mailto:contact@chumpower.com)



v202505